



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1480
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,992	12/31/2001	Michael J. Quinn	004683.P009	8595

30505 7590 12/27/2005

MARK J. SPOLYAR
38 FOUNTAIN ST.
SAN FRANCISCO, CA 94114

EXAMINER

CHACE, CHRISTIAN

ART UNIT	PAPER NUMBER
----------	--------------

2189

DATE MAILED: 12/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20051222

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents**NOTICE OF NON-RESPONSIVE AMENDMENT**

This Office action has been sent in response to amendment filed 26 October 2005. Unfortunately, it appears there was a fax machine malfunction, rendering missing most of at least what was labeled "page 17" of the submission (hence any responses therein could not be considered). Accordingly, as examiner is unsure how much information may be missing from the submission, and this was a bona fide attempt to respond to the previous Office action, examiner has set a 1-month time period to resubmit the amendment previously submitted, in it's entirety, so examiner may take into account any and all information applicants wish to have presented.

Examiner sincerely apologizes for any inconvenience as a result of this malfunction, and encourages applicants to contact him if there are any questions, comments, or concerns at 571.272.4190.

Christian P. Chace
Primary Examiner
Art Unit: 2189